




期刊論文 [Top](#)

編號	著作名稱
1 ABS 	S.M. Wu, S.H. Huang, H.Y. Wang, C.T. Chiu, C.P. Hung, C.W. Kuo and C.C. Wang, "Enhanced passive equaliser using open-stub structure," <i>ELECTRONICS LETTERS</i> , Vol. 49, No. 24, pp. 1528-1529, Nov. 2013.
2 ABS 	Chih-Ming Kuo and Chih-Wen Kuo, "A Novel FDTD Time-Stepping Scheme to Calculate RCS of Curved Conducting Objects Using Adaptively Adjusted Time Steps," <i>IEEE Trans. on Antennas Propagat.</i> , Vol. 6, No. 10, pp. 5127-5134, Oct. 2013.
3 ABS 	Hsin-Hsiang Su, Chih-Wen Kuo ,and and Toshihide Kitazawa, "A Novel Approach for Modeling Diodes Without Reducing the Time Step in the FDTD Method," <i>IEEE Trans.Compon., Packag., Manuf. Technol.</i> , Vol. 3, No. 9, pp. 1506-1511, Sep. 2013.
4 	Guan, S. W.; Kuo, C. W.; Wang, H. Y, "Hybrid differential transmission line bend to suppress common-mode noise," <i>ELECTRONICS LETTERS</i> , Vol. 47, No. 17, pp. 1068-1069, Jan. 2013.
5 ABS 	Yaw-Dong Wu ¹ , Chih-Wen Kuo, Shih-Yuan Chen, and Mao-Hsiung Chen, "A GENERAL RULE FOR DESIGNING MULTIBRANCH HIGH-ORDER MODE CONVERTER," <i>Progress In Electromagnetics Research</i> , Vol. 138, pp. 327-336, Jan. 2013.
6 	Guan, S. -W.; Kuo, C. -W.; Wang, C. -C., "Power and signal integrity co-design for quad flat non-lead package," <i>ELECTRONICS LETTERS</i> , Vol. 48, No. 15, pp. 942-943, Jul. 2012.
7 ABS 	Terada, H.; Tatsuoka, M.; Su, H. H, "Quasi-static and hybrid-mode analysis of asymmetric coupled cylindrical striplines," <i>IET MICROWAVES ANTENNAS & PROPAGATION</i> , Vol. 6, No. 6, pp. 697-704, Apr. 2012.
8 ABS 	Chih-Ming Kuo and Chih-Wen Kuo, "A New Scheme for the Conformal FDTD Method to Calculate the Radar Cross Section of Perfect Conducting Curved Objects," <i>Antennas and Wireless Propagation Letters</i> , Vol. 9, pp. 16-19, Jan. 2010.
9 ABS 	Kuo, C-W; Chen, S-Y; Wu, Y-D, "ANALYZING THE MULTILAYER OPTICAL PLANAR WAVEGUIDES WITH DOUBLE-NEGATIVE METAMATERIAL," <i>PROGRESS IN ELECTROMAGNETICS RESEARCH-PIER</i> , Vol. 110, pp. 163-178, Jan. 2010.
10 	Hsin Hsiang Su ; Chih Wen Kuo ; Kitazawa, T., "An efficient algorithm for the incorporation of diodes into FDTD method," <i>Antennas and Propagation Society International Symposium (APSURSI) · IEEE</i> , Jan. 2010.
11 ABS 	Chen-Chao Wang, Chih-Wen Kuo,Sung-Mao Wu,Hung-Hsiang Cheng,Chi-Tsung Chiu, and Chih-Pin Hung, "A Novel Time-Domain Approach for Extracting Broadband Models of Power Delivery Networks With Resonance Effect," <i>IEEE Trans. ON Advanced Packing</i> , Vol. 32, No. 3, pp. 636-643, Aug. 2009.
12 ABS 	Y. D. Wu, M. H. Chen, C. W. Kuo, S. Y. Chen and C. F. Chang, "The study of multilayer planar optical waveguide structure with nonlinear cladding," <i>Opt Quant Electron</i> , pp. 495–512, Jul. 2008.
















13	ABS 	Y.D. Wu, M. H. Chen, C. W. Kuo, and C. F. Chang, "The study of multilayer planar optical waveguide structure with nonlinear cladding," <i>Optical and Quantum electronics</i> , Vol. 40, No. 7, pp. 495-512, May 2008.
14	ABS 	T.C. Lin, and C.W. Kuo, "A Novel and Efficient Subgridding Scheme in FDTD Method Using the Crank-Nicolson Algorithm," <i>Microwave and Optical Technology Letters</i> , Vol. 49, No. 12, pp. 3103-3106, Dec. 2007.
15	ABS 	Chih-Wen Kuo and Chen-Chao Wang, "A Time-Domain Extraction for the SPICE-Compatible Models of Power Delivery Networks in PCB," <i>Microwave and Optical Technology Letters</i> , Vol. 49, pp. 3001-3004, Oct. 2007.
16	ABS 	Chen-Chao Wang and Chih-Wen Kuo, "Time-Domain Approach for Synthesizing SPICE-Compatible Models of Power Delivery Networks of Printed Circuit Board," <i>Electronics Letters</i> , Vol. 43, No. 22, Aug. 2007.
17	ABS 	Chien-Chung Wang and Chih-Wen Kuo, "An efficient scheme for processing arbitrary lumped multiport devices in the finite-difference time domain method," <i>IEEE Trans. Microw. Theory Tech.</i> , Vol. 55, No. 5, pp. 958-965, May 2007.
18	ABS 	H. H. Su and C. W. Kuo, "Efficient Generation of FDTD Subcells Using Krylov Subspace Technique to the Wave Equation," <i>IEEE Microw. and Wireless Compon. Lett.</i> , Vol. 17, No. 4, pp. 280-282, Apr. 2007.
19		Y. D. Wu, C. H. Kuo, S. Y. Chen, M. H. Chen, and C. F. Chang, "Analyzing multilayer optical waveguide with all nonlinear layers," <i>Optical Society of America</i> , Vol. 15, pp. 2499-2516, Mar. 2007.
20	ABS 	Chih-Wen Kuo, Shih-Yuan Chen, Mao-Hsiung Chen, Chih-Fu Chang, and Yaw-Dong Wu, "Analyzing multilayer optical waveguide with all nonlinear layers," <i>Opt. Express</i> , Vol. 15, No. 3, pp. 2499-2516, Mar. 2007.
21	ABS 	W.-Y. Wu, A. Lai, C.-W. Kuo, K.M.K.H. Leong, and T. Itoh, "Efficient FDTD method for analysis of mushroom-structure based left-handed materials," <i>IET Microwaves, Antennas & Propagation</i> , Vol. 1, pp. 100-107, Mar. 2007.
22	ABS 	Chih-Wen Kuo, Chih-Fu Chang, Mao-Hsiung Chen, Shih-Yuan Chen, and Yaw-Dong Wu, "A new approach of planar multi-channel wavelength division multiplexing system using asymmetric super-cell photonic crystal structures," <i>Opt. Express</i> , Vol. 15, No. 1, pp. 198-206, Jan. 2007.
23		Y. D. Wu, C. W. Kuo, C. F. Chang, M. H. Chen, and S. Y. Chen, "A new approach of planar multi-channel wavelength division multiplexing system using asymmetric super-cell photonic crystal structures," <i>Optical Society of America</i> , Vol. 15, pp. 198-206, Jan. 2007.
24	ABS 	C. C. Wang, C. W. Kuo, C. C. Kuo, and T. L. Wu, "A Time-Domain Approach for Extracting Broadband Macro- π Models of Differential Via Holes," <i>IEEE Trans. on Advanced Packaging</i> , Vol. 29, pp. 789-797, Nov. 2006.
25	ABS 	C. W. Kuo and C. C. Wang, "Scheme to process arbitrary microwave devices in FDTD," <i>Electronic Letters</i> , Vol. 42, No. 22, pp. 1287-1288, Oct. 2006.
26	ABS 	W. Y. Wu and C. W. Kuo, "Direct application of the S24 FDTD method to the antenna pattern computation," <i>Microwave and Optical Tech. Lett.</i> , Vol. 40, No. 4, pp. 289-292, Jan. 2004.

27 ABS 	J. F. Huang and C. W. Kuo, "CPW-Fed Bow-Tie Slot Antenna," <i>The Microwave and Optical Technology Letters</i> , Vol. 19, No. 6, pp. 358 - 360, Dec. 1998.
28 ABS 	J. F. Huang and C. W. Kuo, "CPW-Fed Slot Antenna with CPW Tuning Stub Loading," <i>The Microwave and Optical Technology Letters</i> , Vol. 19, No. 5, pp. 257 - 258, Nov. 1998.
29 ABS 	J. F. Huang and C. W. Kuo, "More Investigations of Leaky and Non-leaky Conductor-Backed Coplanar Waveguide," <i>IEEE Transactions on Electromagnetic Compatibility</i> , Vol. 40, No. 3, pp. 257 - 261, Aug. 1998.

會議論文 [Top](#)

編號	著作名稱
1 ABS 	Hsin-Hsiang Su, Chih-Wen Kuo ¹ , and Toshihide Kitazawa, "A Novel Approach for Modeling Diodes into FDTD Method," Progress in electromagnetics Research Symposium (PIERS) 2011, pp. 186-189, Mar. 2011.
2 ABS 	Hung-Hsiang Cheng, Chih-Wen Kuo, Po-Chih Pan, Yi-Hua Chen, Kuo-Hua Chen, Li Li, Ken Han, Glenn Cooper, "Design and Characterization of Power Delivery System for Multi-Chip Package with Embedded Discrete Capacitors," 2011 Electronic Components and Technology Conference, pp. 2179-2184, Jan. 2011.
3 ABS 	Sheng-Wei Guan ; Chih-Wen Kuo ; Chen-Chao Wang, "A novel decoupling capacitor for power integrity of quad flat nonlead (QFN) package," Microwave Conference Proceedings (APMC), pp. 1913 – 1916, Jan. 2011.
4 ABS 	Hung-Hsiang Cheng, Chih-Wen Kuo, Po-Chih Pan, Yi-Hua Chen, Kuo-Hua Chen, Li Li, Ken Han ³ , Glenn Cooper, "Design and Characterization of Power Delivery System for Multi-Chip Package with Embedded Discrete Capacitors," Electronic Components and Technology Conference (ECTC), 2011, Jan. 2011.
5 ABS 	Chen-Chao Wang, Hung-Hsiang Cheng, Chi-Tsung Chiu, Chih-Pin Hung, Chih-Wen Kuo, and Toshihide Kitazawa, "Through Co-Design to Optimize Power Delivery Distribution System Using Embedded Discrete De-coupling Capacitor," 2010 IEEE CPMT Symposium Japan, Aug. 2010.
6 ABS 	Chen-Chao Wang, Po-Chih Pan , Hung-Hsiang Cheng, Chi-Tsung Chiu, Chih-Pin Hung, "Through Co-Design to Optimize Power Delivery Distribution System Using Embedded Discrete Decoupling Capacitor," 2010 11th International Conference on Electronic Packaging Technology & High Density Packaging (ICEPT-HDP), pp. 639, Aug. 2010.
7 ABS 	Hsin Hsiang Su, Chih Wen Kuo, and Toshihide-Kitazawa, "An Efficient Algorithm for the Incorporation of Diodes into FDTD Method," Antennas and Propagation Society International Symposium (APSURSI), 2010 IEEE , pp. 1 - 4, Jul. 2010.
8 ABS 	Chih-Wen Kuo, Chih-Fu Chang, Mao-Hsiung Chen, Shih-Yuan Chen, Yaw-Dong Wu, Wang-Yu Chen, Tien-Tsorng Shih, and Jian-Jang Lee, "A Novel Time Division Multiplexing System Using Slow Light Design Base on Planar Type Photonic Crystal Structures," 15th OptoElectronics and Communications Conference (OECC2010) Technical Digest, pp. 386-387, Jul. 2010.

9	ABS 	Chen-Chao Wang, Chih-Wen Kuo, Che-Ching Wu, Sung-Mao Wu, C. T. Chiu and C. P. Hung, "Utilizing time-domain waveform to synthesize scalable SPICE-compatible macro-models of interconnectors," 2010 Proceedings 60th Electronic Components and Technology Conference (ECTC), pp. 389, Jun. 2010.
10		Y. D. Wu, Z. J. You, C. W. Kuo, M. H. Chen, C.H. Chang, and Z. Y. Chen, "Optical Delay Line based on Photonic Crystal Ring Resonators," OPT, Dec. 2009.
11	ABS 	Hsin Hsiang Su, Chih Wen Kuo ¹ , and Toshihide Kitazawa, "An Efficient Algorithm for Combining Linear Lumped Networks with the FDTD Method," Progress in electromagnetics Research Symposium (PIERS) 2009, pp. 542-542, Aug. 2009.
12	ABS 	Chen-Chao Wang, Hsueh-An Yang, Ying-Chieh Shyu, Meng-Hsun Li, Chi-Tsung Chiu, Sung-Mao Wu, Chih-Wen Kuo and Chih-Pin Hung, "Analysis of High Performance RF Integrated Passive Circuits Using the Glass Substrate," 9th IEEE VLSI Packaging Workshop of Japan, pp. 135-138, Dec. 2008.
13	ABS 	Chih-Ming Kuo, Chih-Wen Kuo, and Toshihide Kitazawa, "Effects of Conducting Spectacles on the SAR Values inside the Human Head in a Wireless Communication Environment," IEEE Antennas and Propagation Society International Symposium, Jul. 2008.
14	ABS 	Chih-Ming Kuo, Chih-Wen Kuo, Toshihide Kitazawa,, "Effects of Conducting Spectacles on the SAR Values inside the Human Head in a Wireless Communication Environment," IEEE APS 2008, Jul. 2008.
15	ABS 	Chen-Chao Wang, Shu-Qiang Zhang, Hung-Hsiang Cheng, Tzu-Chih Lin, Chi-Tsung Chiu, and Chih-Pin Hung, "Synthesizing SPICE-Compatible Models of Power Delivery Networks with Resonance Effect by Time-domain Waveforms," International Conference on Electronic Packaging Technology & High Density Packaging, Jul. 2008.
16	ABS 	Hsin-Hsiang Su, Chih-Wen Kuo, Toshihide Kitazawa, "An efficient hybrid approach for processing arbitrary linear lumped networks in the FDTD method," IEEE APS 2008, Jul. 2008.
17	ABS 	Chen-Chao Wang, Chih-Wen Kuo, and Hung-Hsiang Cheng, "Synthesizing SPICE-Compatible Models of Power Delivery Networks with Resonance Effect by Time-domain Waveforms," Electronic Components and Technology Conference, pp. P.1799-P.1803, May 2008.
18	ABS 	Chen-Chao Wang, Chih-Wen Kuo, Alex Wang, and Hung-Hsiang Cheng, "A Novel Time-domain Approach by TDR/TDT for Synthesizing SPICE-Compatible Models of Power Delivery Networks with Resonance Effect," Progress in Electromagnetics Research Symposium (PIERS), pp. P.493-P.496, Aug. 2007.
19	ABS 	C. C. Wang and C.W. Kuo, "A Scheme to Efficiently Process Linear Two-Port Networks in FDTD," IEEE APS 2007, pp. 2321-2324, Jun. 2007.
20	ABS 	H. H. Su and C. W. Kuo, "A Novel UC-PBG Structure for Wide Stopband Bandwidth," IEEE APS 2007, pp. 2917-2920, Jun. 2007.
21	ABS 	C. M. Kuo, Y. C. Chen, and C. W. Kuo, "Analysis of Effects of Induced Currents on the Metallic Spectacles on the SAR Values and Temperature Rise Inside the Human Head," IEEE APS 2007, pp. 4308-4311, Jun. 2007.
22	ABS 	Chen-Chao Wang, Chih-Wen Kuo, Chun-Chih Kuo, Jian-Sheng Hsieh, and Tzong-Lin Wu, "A Time-domain Approach for Transforming Broadband SPICE-Compatible Models of Power Delivery Networks with Resonance Effect," Progress in Electromagnetics Research Symposium (PIERS), Aug. 2006.

23	ABS 	H. H. Su, and C. W. Kuo, "High-Order FDTD Subcells Using MOR Technique," 2006 IASTED ARP, pp. 60-63, Jul. 2006.
24	ABS 	Y. C. Chen, and C. W. Kuo, "Effects of perfectly conducting spectacles on the SAR distribution in the human head due to signals from mobile communication base station," 2005 International Symposium on Communications, pp. 54.1-54.4, Nov. 2005.
25	ABS 	H. H. Su, and C. W. Kuo, "Generation of FDTD subcell equations by using Second Order Krylov-Arnoldi-SVD method," 2005 International Symposium on Communications, pp. s20 5.1-5.5, Nov. 2005.
26	ABS 	Y. H. Chung, and C. W. Kuo, "Using Prony's method to predict the output waveform of microwave integrated circuits," 2005 International Symposium on Communications, pp. 55.1-55.3, Nov. 2005.
27	ABS 	W. Y. Wu, A. Lai, K.M.K.H. Leong, C. W. Kuo, and T. Itoh, "Efficient FDTD method for analysis of left-handed mushroom structure," IEEE APS 2005, Vol. 3A, pp. 798-801, Jul. 2005.
28	ABS 	C. M. Kuo and C. W. Kuo, "FDTD Computation of SAR Reduction in the Human Head for Mobile Communication Handsets at 1800MHz," 2004 USNC/URSI National Radio Science Meeting, Vol. 1, pp. 189, Jun. 2004.
29	ABS 	W. Y. Wu and C. W. Kuo, "The ADI-FDTD algorithm for planar circuits containing passive and active elements," IEEE APS 2004, Vol. 1, pp. 69-72, Jun. 2004.
30	ABS 	W. Y. Wu and C. W. Kuo, "Novel FDTD Algorithm with Integration Loop Dependence," IEEE APS 2003, pp. 368-371, Jun. 2003.
31	ABS 	C. M. Kuo and C. W. Kuo, "SAR Distribution and Temperature Increase in the Human Head for Mobile Communication," IEEE APS2003, Vol. 2, pp. 1025-1028, Jun. 2003.
32	ABS 	W. Y. Wu and C. W. Kuo, "Antenna pattern analysis using higher-order FDTD method," Proc. Asia-Pacific Microwave Conference, Vol. 1, pp. 918-921, Dec. 2001.
33	ABS 	W. Y. Wu and C. W. Kuo, "Handling of the perfect electric conductor in higher-order FDTD method," Proc. Asia-Pacific Microwave Conference, Vol. 2, pp. 918-921, Dec. 2001.
34	ABS 	許幸欽，郭志文, "應用克希荷夫表面積分式於時域有限差分法分析微帶天線場型," 2000 年全國電信研討會, pp. 2-279 - 2-282, Dec. 2000.
35	ABS 	郭志文、林明村, "適用於平面型電路之時域有限差分次網格演算法," 2000 年全國電信研討會, pp. 2-269 - 2-272, Dec. 2000.
36	ABS 	J. F. Huang and C. W. Kuo, "To control the leakage and non-leakage conductor-backed coplanar waveguide by adjusting slot width," International Symposium on Electromagnetic Theory of URSI, pp. 645-647, May 1998.
37	ABS 	J. F. Huang and C. W. Kuo, "The Leakage and Radiation Characteristics of Conductor-Backed Coplanar Waveguide," The International Conference on Microwave and Millimeter Wave Technology-ICMMT'98, pp. 861-864, 1998.
38	ABS 	J. F. Huang and C. W. Kuo, "A Technique Reducing Simulation Time in Method of Moment Computation," The International Conference on Microwave and Millimeter Wave Technology-ICMMT'98, pp. 929-932, 1998.

